

27/02/2011

[33] INTERVALLO

GA-1499  
Intervallo  
[00:00-00:00]

28/02/2011


[34] RIPOSO

GA-1500  
Riposo  
[00:00-00:00]

01/03/2011

[35]


GA372  
BASE  
[05:05-12:00]



02/03/2011

[36]


GA358  
BASE  
[04:45-11:35]



03/03/2011

[37]

GA345  
BASE  
[11:46-21:13]



04/03/2011

[38] DISPONIBILE

GA-1502  
Disponibile  
[00:00-00:00]

05/03/2011

[39] DISPONIBILE

GA-1502  
Disponibile  
[00:00-00:00]

Impianto = CAGLIARI -Periodo dal 20/02/2011 al 31/03/2011 - Turno = [47427] DPR Cagliari - Condotta[Data Stampa = 21/02/2011]

06/03/2011

[40] INTERVALLO

GA-1499  
Intervallo  
[00:00-00:00]

07/03/2011

[41] RIPOSO

GA-1500  
Riposo  
[00:00-00:00]

08/03/2011

[42] DISPONIBILE

GA-1502  
Disponibile  
[00:00-00:00]

09/03/2011

[43] DISPONIBILE

GA-1502  
Disponibile  
[00:00-00:00]

10/03/2011

[44] DISPONIBILE

GA-1502  
Disponibile  
[00:00-00:00]

11/03/2011


[45] DISPONIBILE


GA-1502  
Disponibile  
[00:00-00:00]

12/03/2011

[46] INTERVALLO

GA-1499  
Intervallo  
[00:00-00:00]





GA361  
BASE  
[12:20-20:14]