

20/02/2011

[11]                    DISPONIBILE

GA-1502  
Disponibile  
[00:00-00:00]

21/02/2011

[12]                    DISPONIBILE

GA-1502  
Disponibile  
[00:00-00:00]

22/02/2011

[13]                    INTERVALLO


GA-1499  
Intervallo  
[00:00-00:00]

23/02/2011

[14]                    RIPOSO

GA-1500  
Riposo  
[00:00-00:00]


24/02/2011                    210001 -




25/02/2011



26/02/2011





Impianto = CAGLIARI -Periodo dal 20/02/2011 al 31/03/2011 - Turno = [47427] DPR Cagliari - Condotta[Data Stampa = 21/02/2011]

06/03/2011

[25] INTERVALLO

GA-1499  
Intervallo  
[00:00-00:00]

07/03/2011

[26] RIPOSO

GA-1500  
Riposo  
[00:00-00:00]

08/03/2011

[27] DISPONIBILE

GA-1502  
Disponibile  
[00:00-00:00]

09/03/2011

[28] DISPONIBILE

GA-1502  
Disponibile  
[00:00-00:00]

10/03/2011

[29] DISPONIBILE

GA-1502  
Disponibile  
[00:00-00:00]

11/03/2011

[30] RIPOSO


GA-1500  
Riposo  
[00:00-00:00]

12/03/2011

[31] INTERVALLO

GA-1499  
Intervallo  
[00:00-00:00]

Impianto = CAGLIARI -Periodo dal 20/02/2011 al 31/03/2011 - Turno = [47427] DPR Cagliari - Condotta[Data Stampa = 21/02/2011]



20/03/2011

[39] INTERVALLO

GA-1499  
Intervallo  
[00:00-00:00]

21/03/2011

[40] RIPOSO


GA-1500  
Riposo  
[00:00-00:00]

22/03/2011

[41]

GA385  
BASE  
[12:50-19:54]

210058 -




23/03/2011

[42]

GA320  
BASE  
[12:45-22:45]

210003 -




24/03/2011

[43]

GA366  
BASE  
[17:40-14:19]


210035 -



25/03/2011

[44]

[00:00-00:00]



26/03/2011

[45] RIPOSO

GA-1500  
Riposo  
[00:00-00:00]

