

Impianto = CAGLIARI -Periodo dal 20/02/2011 al 31/03/2011 - Turno = [47427] DPR Cagliari - Condotta[Data Stampa = 21/02/2011]

20/02/2011

[28] RIPOSO

GA-1500  
Riposo  
[00:00-00:00]

21/02/2011


[29] INTERVALLO

GA-1499  
Intervallo  
[00:00-00:00]

22/02/2011

[30]

GA335  
BASE  
[05:25-14:14]



23/02/2011

[31] INTERVALLO

GA-1499  
Intervallo  
[00:00-00:00]

24/02/2011


[32] RIPOSO

GA-1500  
Riposo  
[00:00-00:00]

25/02/2011

[33]


GA375  
BASE  
[06:09-13:44]






26/02/2011

[34]

GA404  
BASE  
[06:03-13:44]



Impianto = CAGLIARI -Periodo dal 20/02/2011 al 31/03/2011 - Turno = [47427] DPR Cagliari - Condotta[Data Stampa = 21/02/2011]



Cond. CoEf. CoFx Acc. Lavo. Km Rip.  
04:18 03:42 04:03 03:54 09:29 250,0

13/03/2011

[49] INTERVALLO

GA-1499  
Intervallo  
[00:00-00:00]

14/03/2011

[50]

GA355  
BASE  
[04:50-08:29]

210027 -



Cond. CoEf. CoFx Acc. Lavo. Km Rip.  
01:51 01:33 01:36 01:48 03:39 108,0

15/03/2011

[51] RIPOSO

GA-1500  
Riposo  
[00:00-00:00]

16/03/2011

[52]

GA320  
BASE  
[12:45-22:45]

210003 -



Cond. CoEf. CoFx Acc. Lavo. Km Rip.  
04:49 04:31 04:25 02:57 10:00 201,0

17/03/2011

[53]

GA363  
BASE  
[18:52-10:05]

210033 -



Cond. CoEf. CoFx Acc. Lavo. Km Rip.  
01:30 01:28 01:30 01:18 02:48 93,0 06:55

Cond. CoEf. CoFx Acc. Lavo. Km Rip.  
03:13 02:55 03:11 02:16 05:30 193,0

18/03/2011

[54]

[00:00-00:00]



19/03/2011

[55] RIPOSO

GA-1500  
Riposo  
[00:00-00:00]

[illegible]

Impianto = CAGLIARI -Periodo dal 20/02/2011 al 31/03/2011 - Turno = [47427] DPR Cagliari - Condotta[Data Stampa = 21/02/2011]

27/03/2011

[63] DISPONIBILE

GA-1502  
Disponibile  
[00:00-00:00]

28/03/2011

[64] DISPONIBILE

GA-1502  
Disponibile  
[00:00-00:00]

29/03/2011

[65] INTERVALLO

GA-1499  
Intervallo  
[00:00-00:00]

30/03/2011

[66] RIPOSO

GA-1500  
Riposo  
[00:00-00:00]

31/03/2011

