

20/02/2011

[24] RIPOSO

GA-1500
Riposo
[00:00-00:00]

31/03/2011

24

GA393
BASE
[14:05-08:08]

210074 -




21/02/2011

[25]

GA340
BASE
[11:35-21:25]

210016 -




22/02/2011

[26]

GA349
BASE
[13:49-23:03]

210022 -



23/02/2011

[27]

GA363
BASE
[18:52-10:05]

210033 -



24/02/2011

[28]

[00:00-00:00]

210028 -



25/02/2011

[29]

GA356
BASE
[04:50-08:29]

210028 -



05/03/2011

210000

[37]

GA397

BASE

[16:49-11:05]

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24

CA

CA

CA

Cond. CoEf. CoFx Acc. Lavo. Km Rip.

02:08 01:45 02:03 02:18 05:39 127,0 09:12

Cond. CoEf. CoFx Acc. Lavo. Km Rip.

01:05 01:02 01:05 00:25 03:25 93,0

06/03/2011

[38]

OR

V.O. OR
30 40
40

RIS OR
0 9

C/v.p.3953 OR
15

3953u CA
10

C/v.a.3953 CA
20

TG
30 30
5

CA

00:00-00:00

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24

07/03/2019

[39]

GA375
BASE
[06:09-13:44]

Cond.	CoEf.	CoFx	Acc.	Lavo.	Km	Rip.
02:36	02:24	02:34	02:38	07:35	189,0	

08/03/2011

[40]

DISPONIBILE

GA-1502
Disponibile
[00:00-00:00]

09/03/2011

[41]

DISPONIBILE

GA-1502
Disponibile
[00:00-00:00]

10/03/2011

[42]

RIPOSO

GA-1500

Riposo

[00:00-00:00]



11/03/2011

[43]

INTERVALLO

GA-1499
Intervallo
[00:00-00:00]

Impianto = CAGLIARI -Periodo dal 20/02/2011 al 31/03/2011 - Turno = [47427] DPR Cagliari - Condotta[Data Stampa = 21/02/2011]



14/03/2011

[46]

GA-1502
Disponibile
[00:00-00:00]

DISPONIBILE

15/03/2011

[47]

GA-1502
Disponibile
[00:00-00:00]

DISPONIBILE

16/03/2011

[48]

GA-1500
Riposo
[00:00-00:00]


RIPOSO

17/03/2011


[49]

GA-1499
Intervallo
[00:00-00:00]

INTERVALLO



19/03/2011



20/03/2011

[52] INTERVALLO


GA-1499
 Intervallo
 [00:00-00:00]

21/03/2011


[53] RIPOSO

GA-1500
 Riposo
 [00:00-00:00]


22/03/2011



23/03/2011



24/03/2011



25/03/2011



