

Impianto = CAGLIARI -Periodo dal 20/02/2011 al 31/03/2011 - Turno = [47427] DPR Cagliari - Condotta[Data Stampa = 21/02/2011]

20/02/2011


[55] INTERVALLO

GA-1499
Intervallo
[00:00-00:00]

21/02/2011

[56]

GA358
BASE
[04:45-11:35]



22/02/2011


[57] RIPOSO

GA-1500
Riposo
[00:00-00:00]

23/02/2011

[58]

GA323
BASE
[12:45-22:45]



24/02/2011

[59] DISPONIBILE

GA-1502
Disponibile
[00:00-00:00]

25/02/2011

[60] DISPONIBILE

GA-1502
Disponibile
[00:00-00:00]

26/02/2011

[61] DISPONIBILE

GA-1502
Disponibile
[00:00-00:00]

27/02/2011

[62] INTERVALLO

GA-1499
Intervallo
[00:00-00:00]

28/02/2011


[63] RIPOSO

GA-1500
Riposo
[00:00-00:00]

01/03/2011

[64]


GA335
BASE
[05:25-14:14]



02/03/2011

[65]

GA347
BASE
[13:49-23:03]



03/03/2011


[66] INTERVALLO

GA-1499
Intervallo
[00:00-00:00]

04/03/2011

[67]

GA355
BASE
[04:50-08:29]



05/03/2011

[68] DISPONIBILE

GA-1502
Disponibile
[00:00-00:00]

06/03/2011

[1] DISPONIBILE

GA-1502
Disponibile
[00:00-00:00]

07/03/2011

[2] RIPOSO

GA-1500
Riposo
[00:00-00:00]

08/03/2011


[3] INTERVALLO

GA-1499
Intervallo
[00:00-00:00]

09/03/2011



10/03/2011




11/03/2011

[6] RIPOSO

GA-1500
Riposo
[00:00-00:00]

12/03/2011





Impianto = CAGLIARI -Periodo dal 20/02/2011 al 31/03/2011 - Turno = [47427] DPR Cagliari - Condotta[Data Stampa = 21/02/2011]

27/03/2011

[22]

INTERVALLO

GA-1499
Intervallo
[00:00-00:00]

28/03/2011

[23]

DISPONIBILE

GA-1502
Disponibile
[00:00-00:00]

29/03/2011

[24]

DISPONIBILE

GA-1502
Disponibile
[00:00-00:00]

30/03/2011

[25]

DISPONIBILE

GA-1502
Disponibile
[00:00-00:00]

31/03/2011

[26]

DISPONIBILE

GA-1502
Disponibile
[00:00-00:00]